

CP-UVC-TB24FL6-B

2.4MP Full HD HDCVI IR Bullet Camera - 60Mtr.

- 1/2.8" 2.4MP CMOS Image Sensor (0.9071 centimeters)
- Max 30fps@2.4MP
- HD and SD output switchable
- WDR(120dB), Day/Night(ICR), 2D/3D-DNR, AWB, AGC, BLC, HLC
- 2.7-13.5mm Vari-focal lens (7-22mm optional)
- IR Range of 60 Mtrs., IP67
- Support Starlight Technology



System Overview

Analog cameras can be advantageous in more ways than one – they are economical, especially for large scale setups, and are simple to install. However, one of the major downsides of earlier analog cameras was the image quality, which is critical in the present times. With subsequent technological upgrades over the years, HD resolution was introduced in analog CCTV systems. This served as a major breakthrough as high quality imagery was only available in IP system which was comparatively a costlier option.

Another challenge with analog systems was its compatibility constraint. Newer versions of analog cameras would not pair up with older versions. CP PLUS introduced the revolutionary UNI + technology which supported all analog & HD video formats including CVBS.



CP-UVC-TB24FL6-B

2.4MP Full HD HDCVI IR Bullet Camera - 60Mtr.

Functions

IR Range

IR Range provide detailed images even in very low light conditions. These IR range adjust the infrared intensity for distinct images in dark environments for up to 80mtrs.

UNI+ Technology

CP PLUS Analog HD cameras offer compatibility across all the available technologies - CVBS, TVI, HDCVI, AHD and HDx, making upgrading simple and hassle-free.

OSD Menu Support

CP PLUS HD analog cameras come with their own menu using which the camera settings can be managed, for instance, the signal type can be changed and other sensor level adjustments be made.

Starlight Technology

This camera is widely used to provide sharper and clearer picture quality with the help of its exceptional starlight sensitivity as the camera improves night vision in low light conditions. This technology is useful in conditions with extremely low light as the starlight technology turns almost completely dark images into those of clear colors.

Power Protection

With a voltage tolerance range of ± 30 , these cameras are suitable even in fluctuating power conditions.

Plug & Play

CP PLUS Analog HD cameras are simple to configure and install.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-UVC-TB24FL6-B

2.4MP Full HD HDCVI IR Bullet Camera - 60Mtr.

Feature	Specification
Image Sensor	1/2.8" 2.4MP CMOS Image Sensor (0.9071 centimeters)
Minimum Illumination	0.005Lux/F1.3, 30IRE, 0Lux IR on
Shutter Speed	PAL: 1/4s~1/100000s NTSC: 1/3s~1/100000s
White Balance	Auto / Manual
Gain Control(AGC)	Auto/Manual
Lens	2.7-13.5mm (7-22mm optional)
Back Light Compensation	BLC / HLC / WDR(120dB)
S/N Ratio	More than 65dB
Angle of View	H: 102°~29°(40°~17°)
Video Streaming	25/30fps@2.4MP, 25/30fps@720P
Video Output	1-channel BNC high definition video output / CVBS video output (Can switch)
Resolution	2.4MP
ICR	Auto (ICR) / Manual
OSD Menu	Multi-language
IR	IR Range of 60 Mtr., Smart IR
Operating Temperature	-40°C ~ +60°C (-40°F ~ +140°F) / Less than 90% RH
Power Source	12V DC ±25%
Power Consumption	Max 10.1W (12V DC, IR on)
Weatherproof Standard	IP67
Casing	Aluminium
Dimension	213.0mm×90.4mm×90.4mm
Weight	0.61kg

Company Name:

CP PLUS (Aditya Infotech Ltd.)

F-28 Okhla Industrial Area, Phase 1,

New Delhi 110020, INDIA

Contact Mail ID :- customercare@cpplusworld.com